

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

ONE WAY TURN TO CUT.



CUTTER
ENGAGEMENT

VINYL COVERED
RETURN SPRING.


PLUNGE TO
CREATE CAVITY

TWIST ACTION
TO SEAL


ENGAGES WHEN LID
CLOSES.

REFILL

MOLDED SPRING ACTION
TO ELIMINATE CLIPS




PLUNGE TO
FORM CAVITY.



MANUAL LID RELEASE

TWIST TO SEAL




TWO-STEP ACTION

1ST STEP - RELEASE LID
& OPENS

2ND STEP TWISTS TO SEAL








ONE WAY
TWIST

SPRING LOADED UP


- BATTERY POWERED PLUNGE
& TWIST UNIT.
- RE-CHARGEABLE BATTERY
IN PLUNGE UNIT.



STOVED
POSITION DOWN



X. FORAN 8/25/02



TWO STEP LID.
STEP TO OPEN
STEP TO CLOSE

REFILL TURNS TO SEAL

REFILL LIPS TO
FORM CAVITY

STEP TO
OPEN & CLOSE
LID

STEP TO TWIST
REFILL & SEAL

K FORM 9/4/02